


Theoretical Physics
Prof. Ruiz, UNC Asheville
Chapter Q Homework. Laplace Transforms

HW-Q1. Laplace Transform. Find the Laplace transform $F(s)$ for the square pulse $f(t)$ shown below by explicitly doing the Laplace transform integral. Then use the "derivative trick" for integration to obtain the Laplace transform $G(s)$ of the ramp pulse $g(t)$ from your result $F(s)$ for the square pulse.



Finally, give $F(1)$ and $G(1)$ in terms of e , where e is the natural base.

HW-Q2. Laplace Transform Shift Property. Calculate the Laplace transform $G(s)$ for

$$g(t) = t^n e^{-bt} \quad \text{two ways as described below, where } b > 0.$$

- a) Do the integral for the Laplace transform using the derivative trick.
- b) Use the shifting property: if $g(t) = f(t)e^{at}$, then $G(s) = F(s-a)$, $s > a$.

HW-Q3. Solving a Differential Equation.




Image Courtesy David M. Harrison
 Department of Physics
 University of Toronto

Use Laplace transforms to solve the differential equation

$$m \frac{d^2 x}{dt^2} + b \frac{dx}{dt} + kx = 0$$

where you smack the block initially so that

$$x(0) = 0 \quad \text{and} \quad v(0) = A \sqrt{\frac{k}{m} - \frac{b^2}{4m^2}}.$$

Simply your math using these definitions:

$$\omega_0 = \sqrt{\frac{k}{m}}, \quad \beta = \frac{b}{2m}, \quad \omega^2 = \omega_0^2 - \beta^2.$$

